

Message

---

**From:** Hirsh, Steven [Hirsh.Steven@epa.gov]  
**Sent:** 3/29/2018 3:16:38 PM  
**To:** O'Loughlin, Connor [oloughlin.connor@epa.gov]  
**Subject:** Re: PFAS consultation form

Good. Thanks

Steve

Steven Hirsh, Associate Director  
Federal Facilities Remediation and Site Assessment  
Hazardous Site Cleanup Division  
US EPA Region III

Desk: (215) 814-3352 Cell: (215) 514-9015  
[hirsh.steven@epa.gov](mailto:hirsh.steven@epa.gov)

On Mar 29, 2018, at 8:01 AM, O'Loughlin, Connor <[oloughlin.connor@epa.gov](mailto:oloughlin.connor@epa.gov)> wrote:

Steve,

I believe you asked that I resend Linda's approval for the streamlined review and of Blades Groundwater Site Inspection. Attached is the email chain as well.

Thank you.

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, HSCD  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** Gaines, Linda  
**Sent:** Monday, March 26, 2018 1:47 PM  
**To:** O'Loughlin, Connor <[oloughlin.connor@epa.gov](mailto:oloughlin.connor@epa.gov)>  
**Cc:** Yap-deffler, Yazmine <[Yap-Deffler.Yazmine@epa.gov](mailto:Yap-Deffler.Yazmine@epa.gov)>; Hirsh, Steven <[Hirsh.Steven@epa.gov](mailto:Hirsh.Steven@epa.gov)>  
**Subject:** RE: PFAS consultation form

Connor,

Thank you for submitting the information into the SharePoint form and also for this additional information. This is very helpful. This site qualifies for a streamlined PFAS consult. You may proceed with the site inspection and sampling activities. Let me know if you have any questions or need anything else.

Linda

Linda G.T. Gaines, Ph.D., P.E., BCEE  
Environmental Health Scientist

U.S. Environmental Protection Agency  
OLEM/OSRTI/ARD/Science Policy Branch  
**Gaines.Linda@epa.gov**  
Phone: (703) 603-7189

---

**From:** O'Loughlin, Connor  
**Sent:** Monday, March 26, 2018 11:50 AM  
**To:** Gaines, Linda <[Gaines.Linda@epa.gov](mailto:Gaines.Linda@epa.gov)>  
**Cc:** Yap-deffler, Yazmine <[Yap-Deffler.Yazmine@epa.gov](mailto:Yap-Deffler.Yazmine@epa.gov)>; Hirsh, Steven <[Hirsh.Steven@epa.gov](mailto:Hirsh.Steven@epa.gov)>  
**Subject:** RE: PFAS consultation form

Linda,

I have submitted the online consultation form for the Procino Plating site. In addition, I have attached a brief summary of the site history; previous consultation in 2016; and the new site inspection assessment request. This site will be called Blades Groundwater in the future when the site is entered into SEMS. Please feel free to call me, I would be happy to address any other questions.

Thank you.

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, HSCD  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** Gaines, Linda  
**Sent:** Monday, March 26, 2018 8:57 AM  
**To:** O'Loughlin, Connor <[oloughlin.connor@epa.gov](mailto:oloughlin.connor@epa.gov)>  
**Subject:** RE: PFAS consultation form

Hi Connor,

I saw your request to access the SharePoint site with the consult form, so I just gave you access this morning. You enter information under Submit Site Information. I know Procino Plating had a consult back in 2016. I am also aware that there was a consult with some people in R3 with OEM and OSRTI about Blades. I doubt you will need a full consultation. However if you could fill out the form that would help. Depending on what you need, you and I could talk over the phone just in case I have questions.

Thanks.

Linda G.T. Gaines, Ph.D., P.E., BCEE  
Environmental Health Scientist  
U.S. Environmental Protection Agency  
OLEM/OSRTI/ARD/Science Policy Branch  
**Gaines.Linda@epa.gov**  
Phone: (703) 603-7189

---

**From:** O'Loughlin, Connor  
**Sent:** Friday, March 23, 2018 11:32 AM  
**To:** Gaines, Linda <[Gaines.Linda@epa.gov](mailto:Gaines.Linda@epa.gov)>  
**Subject:** PFAS consultation form

Linda,

Good morning, I am the site manager for the Blades Groundwater site in Delaware. EPA has identified PFAS in 3 public and 9 residential wells. In case the site sounds familiar, the previous site name was Procino Plating. I am in the site assessment group and I am trying to figure out the new protocol so I would be able to conduct a site inspection at the site. I wasn't sure if I could do an expedited consultation or if I needed to do a full consultation?

I was looking through the memo you sent to the PFAS regional group on March 12<sup>th</sup> and I tried the weblink that was included. The link did not seem to work, it took me to a blank SharePoint page. I was wondering if there was a new consultation form that needs to be filled out prior to future new investigation or work activities. I was hoping you might be able to supply the form?

Thank you.

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, HSCD  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444